



DECLARATION OF CONFORMITY No. 01/01/2010



1. Name and address of the manufacturer:

BARLINEK INVESTMENTS
Przemysłowa Str. 1
74-320 BARLINEK POLAND

This Declaration of Conformity represents the attestation that the products have been manufactured, in the terms of construction and materials, in a manner ensuring protection of health and safety of their users. The assessment of the conformity has been carried out based on **COUNCIL DIRECTIVE NO. 89/106/EEC** of 21 December 1988, on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products, and **COUNCIL DIRECTIVE 93/68/EEC** of 22 July 1993, on modules for different phases of the procedure of the assessment of compliance, and rules on the application of the **CE** marking designed to be applied in directives on technical harmonization.

2. Description of the product:

The product i.e. three-layer floor board, designed to be laid on floors in apartments in the system of floating floor assembly; installation by gluing it to the base floor; and in the system of electric and water floor heating solution. The product is covered with finishing varnish or with oil.

3. Declared technical properties of the product:

Pos.	Declared technical properties of the product:	Standard	Value
3.1.	Minimal density		550kg/m ³
3.2.	Minimal thickness		10mm
3.3.	Reaction to fire	EN 13501-1	D _{fl} – s1
3.4.	Emission of formaldehyde	EN – 717/1	E-1
3.5.	Emission of pentachlorophenol	CEN/TR – 14823	≤5ppm
3.6.	Thermal conductivity	EN-12524	0.14W/mK
3.7.	Slipperiness	CEN/TS 15676 end. J	USRV 100
3.8.	Biological durability	EN 350-2	NPD





4. Provisions with which the product complies:

The product complies with the provisions of the harmonized standard

4.1. PN-EN 14342:2008, Wood flooring. Properties, compliance assessment and marking. Enclosure **ZA.3.2.**

5. The product i.e. three-layer floor board has been approved for applications in enclosed spaces that are in compliance with the requirements as contained in the factory's application and use instructions. Applications of the product in spaces exposed to the operation of moisture or water are not permitted.

6. The assessment of the conformity of the product has been determined based on test carried out at the following notified entities:

- a. Building Research Institute
Filtrowa Str. 1; 00-611 Warsaw
The laboratory's notification number – 1488
- b. Wood Technology Institute
Winiarska Str. 1; 60-654 Poznań
The laboratory's notification number – 1583

Barlinek, 02.02.2010

.....
(place and date of issue)

CZŁONEK ZARZĄDU
"Barlinek Inwestycje" Sp. z o.o.

Piotr Hoffmann
.....
Piotr Hoffmann
(first and last names and the signature of the authorised person)

