



DECLARATION OF CONFORMITY EU No. 02/05/2011



1. Name and address of the manufacturer:

BARLINEK INWESTYCJE Sp. z o.o.
Przemysłowa Str. 1
74-320 BARLINEK POLAND

This Declaration of Conformity represents the attestation that the products have been manufactured, in the terms of construction and materials, in a manner ensuring protection of health and safety of their users. The assessment of the conformity has been carried out based on **COUNCIL DIRECTIVE NO. 89/106/EEC** of 21 December 1988, on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products, and **COUNCIL DIRECTIVE 93/68/EEC** of 22 July 1993, on modules for different phases of the procedure of the assessment of compliance, and rules on the application of the **CE** marking designed to be applied in directives on technical harmonization.

2. Description of the product:

The product i.e. three-layer floor board **EXCLUSIVE, CLASSIC, LIFE, YOUNG, TASTES OF LIFE**, designed to be laid on floors in apartments in the system of floating floor assembly; installation by gluing it to the base floor; and in the system of electric and water floor heating solution. The product is covered with varnish.

3. Declared technical properties of the product:

Pos.	Declared technical properties of the product:	Standard	Value
3.1.	Reaction to fire	EN 13501-1	D _{fl} - s1
3.2.	Minimal density		500kg/m ³
3.3.	Minimal thickness		14mm
3.4.	Emission of formaldehyde	EN - 717/1	E-1
3.5.	Emission of pentachlorophenol	CEN/TR - 14823	≤5ppm
3.6.	Thermal conductivity	EN-12524	0.14W/mK
3.7.	Slipperiness	CEN/TS 15676	USRV 90
3.8.	Biological durability	EN 350-2	NPD

4. Provisions with which the product complies:

The product complies with the provisions of the harmonized standard **PN-EN 14342:2005+A1:2008**, Wood flooring. Properties, compliance assessment and marking. Enclosure ZA.3.2.

5. The product i.e. three-layer floor board has been approved for applications in enclosed spaces that are in compliance with the requirements as contained in the factory's application and use instructions. Applications of the product in spaces exposed to the operation of moisture or water are not permitted.

6. The assessment of the conformity of the product has been determined based on test carried out at the following notified entities:

- Institut Techniki Budowlanej w Warszawie
Filtrowa 1; 00-611 Warszawa
The laboratory's notification number – 1488
- Institut Technologii Drewna w Poznaniu
Winiarska 1; 60-654 Poznań
The laboratory's notification number – 1583

Barlinek, 30.05.2011

(place and date of issue)

CZŁONEK ZARZĄDU
"Barlinek Inwestycje" Sp. z o.o.
Witkowski

(first and last name and the signature of the authorized person)

